Early Journal Content on JSTOR, Free to Anyone in the World

This article is one of nearly 500,000 scholarly works digitized and made freely available to everyone in the world by JSTOR.

Known as the Early Journal Content, this set of works include research articles, news, letters, and other writings published in more than 200 of the oldest leading academic journals. The works date from the mid-seventeenth to the early twentieth centuries.

We encourage people to read and share the Early Journal Content openly and to tell others that this resource exists. People may post this content online or redistribute in any way for non-commercial purposes.

Read more about Early Journal Content at http://about.jstor.org/participate-jstor/individuals/early-journal-content.

JSTOR is a digital library of academic journals, books, and primary source objects. JSTOR helps people discover, use, and build upon a wide range of content through a powerful research and teaching platform, and preserves this content for future generations. JSTOR is part of ITHAKA, a not-for-profit organization that also includes Ithaka S+R and Portico. For more information about JSTOR, please contact support@jstor.org.

INDEX.

A.

Abutilon crispum, Don, 331.
  holosericeum, Scheele, 331.
  hypoleucum, Gray, 331.
  Texense, Torr. & Gray, 331.
Acacia amentacea, DC., 351.
  Berlandieri, Benth., 351.
  constricta, Benth., 351.
  crassifolia, Gray, 351.
  Farnesiana, Willd., 351.
  filicina, Willd., 351.
  flexicaulis, Benth., 351.
  Palmeri, Watson, 350.
  Wrightii, Benth., 351.
Acer grandidentatum, Nutt., 338.
Achyronychia Parryi, Hemsl., 329.
Acid potassium salt, 70, 73.
Acnida Floridana, Watson, 376.
  tuberculata, Gray, 376.
Acrylic and propionic acids, on the constitution of the substituted, 150.
Adolphia infesta, Meisn., 336.
Air-thermometer, a new form of, 22.
Alchemilla hirsuta, HBK., 353.
  sibbaldiæfolia, HBK., 353.
  tripartita, 353.
  velutina, Watson, 354.
Allium Brandegei, Watson, 380.
  Parishii, Watson, 380.
Amarantus venulosus, Watson, 376.
Ammannia latifolia, Linn., 355.
Ammonic phospho-molybdate, 68.
Ammonium, phospho-molybdate of, 77.
Ammonium salt, 71, 76, 78.
Amoreuxia palmatifida, DC., 324.
  Schiedeana, Planch., 324.
  Wrightii, Gray, 324.
Ampelopsis pubescens, Schlecht., 337.
Anemone Mexicana, HBK., 317.
Angelica arguta, Nutt., 374.
  genuflexa, Nutt., 374.
  Lyallii, Watson, 374.
  Mexicana, Vatke, 361.
  verticillata, Hook., 374.
Anoda *cristata*, Schlecht., 330.
  hastata, Cav., 330.
  parviflora, Cav., 330, 368.
  reticulata, Watson, 368.
  Wrightii, Gray, 368.
Antimonious bromide, analysis of, 16.
Antimonious sulphide, precipitation of, 2.
Antimony, atomic weight of; additional experiments, 13.
Antimony in the atmosphere, oxidation of hydrochloric acid solutions of, 1.
Antimony, iodide of; its boiling point, 22.
Apios tuberosa, Moench, 346.
Apium leptophyllum, F. Muell., 361.
  Popei, Gray, 331.
Apodanthera undulata, Gray, 359.
Aquilegia longissima, Gray, 317.
Arabis canescens, Nutt., 363.
  Cusickii, Watson, 363.
  furcata, Watson, 362.
  Mexicana, Watson, 319.
  runcinata, Watson, 319.
  suffrutescens, Watson, 362.
Arenaria alsinoides, Willd., 327.
  Californica, 367.
  decussata, HBK., 327.
  diffusa, Ell., 327.
  lanuginosa, Rohrb., 327.

Arenaria macradenia, Watson, 367.
  pusilla, Watson, 367.
Argemone fruticosa, Thurber, 318.
  hispida, Gray, 318.
  platyceras, Link & Otto, 318.
Argentic chloride in water, on the solubility of, 7.
Argento-antimonious tartrate, 5.
Arizona, new plants of recent collections, mainly in, 199.
Arsenic, iodide of, 59.
Arsenic, on the spectrum of, 35.
Arsenic spectrum, wave-lengths of the principal lines of, 38.
Arsenio-molybdates, 79.
Aspicarpa Hartwegiana, Juss., 333.
  hyssopifolia, Gray, 333.
  longipes, Gray, 334.
Aster and Solidago in the older herbaria, studies of, 163.
Asters, North American, in the older herbaria, 164.
Aster acuminatus, 171.
  adulterinus, 174.
  æstivus, 170.
  amœnus, 168.
  amplexicaulis, 168, 172, 173.
  amygdalinus, 168.
  annuus, 166.
  argenteus, 171.
  Artemisiæflorus, 175.
  auritus, 176.
  azureus, 176.
  bellidiflorus, 175.
  biflorus, 172.
  bifrons, 176.
  blandus, 171, 175.
  cærulescens, 176.
  canescens, 175.
  Carolinianus, 169.
  ciliatus, 169, 172.
  ciliolatus, 176.
  concinnus, 175.
  concolor, 165.
  conyzoides, 173.
  cordifolius, 165, 172, 174.
  cornifolius, 172.
  cyaneus, 172.
  diffusus, 170, 174.
  divaricatus, 164.
  divergens, 170, 174.
  diversifolius, 172.
  dracunculoides, 173.
  Drummondii, 176.
  dumosus, 164.
  elegans, 173.
  eminens, 175.
Aster ericoides, 165, 170.
  floribundus, 173.
  foliolosus, 169, 174.
  fragilis, 173.
  graminifolius, 175.
  grandiflorus, 167.
  hebecladus, 176.
  hirsuticaulis, 176.
  Hirtellus, 176.
  hispidus, 169.
  humilis, 172.
  hyssopifolius, 165, 173.
  infirmus, 171.
  junceus, 170, 174.
  lævigatus, 169, 173.
  lævis, 166.
  lanceolatus, 173.
  laxus, 175.
  ledifolius, 175.
  linariifolius, 164.
  linifolius, 165.
  longifolius, 169.
  macrophyllus, 168.
  Marilandicus, 171.
  microphyllus, 176.
  miser, 168, 169, 170, 174.
  multiceps, 176.
  multiflorus, 170.
  mutabilis, 166, 170, 174.
  nemoralis, 169, 173.
  Novæ-Angliæ, 165.
  Novi-Belgii, 167, 170.
  pallens, 175.
  paludosus, 169.
  paniculatus, 168, 170, 174.
  patentissimus, 176.
  patens, 169.
  patulus, 169.
  pendulus, 170, 174.
  Pennslyvanicus, 175.
  peregrinus, 176.
  phlogifolius, 172.
  pilosus, 172.
  polyphyllus, 175.
  præaltus, 175.
  præcox, 175.
  prenanthoides, 173.
  puniceus, 166.
  radula, 171.
  recurvatus, 173.
  reticulatus, 175.
  retroflexus, 176.
  rigidus, 165.
  rubricaulis, 168.
  salicifolius, 168, 170, 174.
  salignus, 174.
  sagittifolius, 172.

Aster scoparius, 176.
  serotinus, 173.
  Sibiricus, 164.
  simplex, 175.
  solidagineus, 171.
  solidaginoides, 173.
  sparsiflorus, 172, 174.
  spectabilis, 171, 174.
  spurius, 172.
  squarrosus, 169.
  stenophyllus, 176.
  strictus, 175, 176.
  subasper, 176.
  subulatus, 171.
  surculosus, 172.
  tardiflorus, 167, 174.
  tenuifolius, 164, 174.
  thyrsiflorus, 172.
  tortifolius, 171.
  tradescanti, 166, 174.
  turbinellus, 176.
  umbellatus, 169.
  undulatus, 165.
  uniflorus, 171.
  urophyllus, 176.
  vernus, 166.
  versicolor, 173.
  villosus, 172.
  vimineus, 169, 174.
Astragalus Antoninus, Watson, 343.
  Arizonicus, Gray, 343.
  Brazoensis, Buckl., 342.
  conjunctus, Watson, 371.
  diphacus, Watson, 342.
  giganteus, Watson, 370.
  grandiflorus, Watson, 370.
  Greggii, Watson, 343.
  Hartwegi, Benth., 343.
  Humboldtii, Gray, 342.
  leptocarpus, Torr. & Gray, 343.
  Nuttallianus, DC., 343.
  orthanthus, Gray, 342.
  parvus, Hemsl., 343.
  strigulosus, HBK., 343.
  terminalis, Watson, 370.
  triflorus, Gray, 343.
  vaccarum, Gray, 343.
  Vaseyi, Watson, 342.
Astrophyllum dumosum, Torr., 335.
Atherinichthys notata, 277.
Atriplex fasciculata, Watson, 377.
  orbicularis, Watson, 377.
  Parishii, Watson, 377.
Atriplex fasciculata, Parryi, Watson, 378.
Ayenia microphylla, Gray, 332.

B.

Barcena Guanajuatensis, Dugès, 336.
Batrachus tau, 279.
Bauhinia ramosissima, Benth., 348.
Berberis gracilis, Hartw., 318.
  ilicina, Hemsl., 318.
  pallida, Hartw., 318.
  Schiedeana, Schlecht., 318.
  trifoliolata, Moric., 318.
Bocconia frutescens, Linn., 319.
Boerhaavia pterocarpa, Watson, 376.
Brodiæa filifolia, Watson, 381.
  stellaris, Watson, 381.
Bromide, antimonious, analysis of, 16.
Brongniartia intermedia, Moric., 342.

C.

Cadmium, revision of the atomic weight of, 28.
Cæsalpinia exostemma, DC., 347.
  Mexicana, Gray, 347.
Calibrating thermometers, simple method for, 157.
Calliandra conferta, Benth., 351.
  Coulteri, Watson, 352.
  eriophylla, Benth., 351.
Callirrhoe involucrata, Gray, 330.
  pedata, Gray, 330.
Calochortus longebarbatus, Watson, 387.
Canavalia villosa, Benth., 346.
Capsella Mexicana, Hemsl., 322.
  pubens, Benth. & Hook., 322.
  Schaffneri, Watson, 322.
Cardamine auriculata, Watson, 319.
  Gambelii, Watson, 319.
  Schaffneri, Hook. f., 319.
Cardiospermum Halicacabum, Linn., 337.
  molle, Linn., 337.
Casimiroa edulis, Llav. & Lex., 335.
Cassia bauhinioides, Gray, 348.
  Chamæcrista, Linn., 348.
  Greggii, Gray, 348.
  leptocarpa, Benth., 348.
  Lindheimeriana, Scheele, 348.
  occidentalis, Linn., 348.
  pumilio, Gray, 348.
  Rœmeriana, Scheele, 348.
  Vogeliana, Schlecht., 348.
  Wislizeni, Gray, 348.
Castela Nicholsoni, Hook., 335.

Caulanthus amplexicaulis, Watson, 364.
  glaucus, Watson, 364.
  inflatus, Watson, 364.
Ceanothus azureus, Desf., 337.
  buxifolius, 337.
  cœruleus, Lag., 337.
  depressus, Benth., 337.
  Greggii, Gray, 337.
Cedrela —— ? 335.
Cercis *occidentalis*, 348.
  reniformis, Engelm., 348.
Cercocarpus parvifolius, Nutt., 353.
Cerdia congestiflora, Hemsl., 329.
  glauca, Hemsl., 329.
  purpurascens, DC., 329.
Cereus cinerascens, DC., 360.
Cevallia sinuata, Lag., 358.
Chlorbromiodacrylic acid, 99.
Chloride, argentic, on its solubility in water, 7.
Chloride, ferrous, 2.
Chlorine and bromine by electrolysis, an indirect determination of, 91.
Chlortribrompropionic acid, 106.
Chorizanthe cuspidata, Watson, 379.
Cladothrix *lanuginosa*, 377.
  oblongifolia, Watson, 376.
Claytonia ambigua, Watson, 365.
  cordifolia, Watson, 365.
Clematis Drummondii, Torr. & Gray, 316.
  filifera, Benth., 317.
  nervata, Benth., 316.
  Pitcheri, Torr. & Gray, 317.
Cleomella brevipes, Watson, 365.
Cobalt salt, croceo —, 69.
Cocculus Carolinus, DC., 318.
  diversifolius, DC., 318.
  oblongifolius, DC., 318.
Cochlearia (?) Mexicana, Watson, 320.
Colletia (?) *multiflora*, DC., 336.
Cologania *angustifolia*, 345.
  humifusa, Hemsl., 345.
  longifolia, Gray, 345.
  Martia, Watson, 345.
  pulchella, HBK., 345.
Color and pattern of insects, on the, 234.
Colubrina glomerata, Hemsl., 336.
  Greggii, Watson, 336.
Communications, —
  Alexander Agassiz, 271.
  Josiah Parsons Cooke, 1.
  Wolcott Gibbs, 62.
Communications, —
  Asa Gray, 164.
  H. A. Hagen, 234.
  Henry B. Hill, 125.
  N. D. C. Hodges, 268.
  Silas W. Holman, 157.
  Oliver W. Huntington, 35.
  Loring Jackson, } 110.
  A. E. Menke, }
  F. E. Kidder, 304.
  Leonard P. Kinnicutt, 91.
  Charles F. Mabery, 94.
  W. H. Melville, 55.
  Charles Bingham Penrose, 39, 47.
  Edward C. Pickering, 231.
  Sereno Watson, 317.
Condalia Mexicana, Schlecht., 336.
  obovata, Hook., 336.
  spathulata, Gray, 336.
Copper and nickel below 0°, thermometric line of, 47.
Corallorhiza Arizonica, Watson, 379.
Corchorus pilolobus, Link, 332.
Cotoneaster denticulata, HBK., 354.
Cottus Grœnlandicus, 285.
Cotyledon Oregonensis, Watson, 355.
  parviflora, Hemsl., 355.
  Schaffneri, Watson, 354.
  viscida, Watson, 372.
  ——?, 355.
Council, Report of the, 399.
Cowania Mexicana, Don, 353.
  plicata, Don, 353.
Crantzia lineata, Nutt., 361.
Cratægus *Crus-galli*, 354.
  Mexicana, DC., 354.
  pubescens, Steud., 354.
Cristatella erosa, Nutt., 323.
  Jamesii, Torr. & Gray, 323.
Croceo-cobalt salt, 69.
Crotalaria *anagyroides*, 338.
  eriocarpa, Benth., 338.
  Maypurensis, HBK., 338.
  pumila, Ort., 338.
Cryolite, crystalline form of, 55.
Crystalline form of cryolite, 55.
Ctenolabrus cœruleus, 290.
Cucumis Anguria, Linn., 359.
Cucurbita fœtidissima, HBK., 359.
  perennis, Gray, 359.
Cuphæa æquipetala, Cav., 355.
  lanceolata, Ait. f., 355.
  Zimapani, Roezl, 355.
Curcumin, 110.
Curcumin, esters of, 119.
  oxidation of, 121.

Curcumin, salts of, 117.
  dipotassic, 117.
  monopotassic, 118.
Cyclanthera dissecta, Naud., 359.
  Naudiniana, Cogn., 359.
Cyclopterus lumpus, 286.
Cyperus serrulatus, Watson, 382.
Cypripedium fasciculatum, Kell., 380.

D.

Dalea alopecuroides, Willd., 340.
  aurea, Nutt., 340.
  Berlandieri, Gray, 340.
  citriodora, Willd., 330.
  eriophylla, Watson, 340.
  frutescens, Gray, 341.
  Greggii, Gray, 341.
  lasiathera, Gray, 340.
  lasiostachys, Benth., 340.
  leucostoma, Schlecht., 340.
  Luisana, Watson, 341.
  mollis, Benth., 341.
  nana, Torr., 340.
  nana, 369.
  pectinata, Benth., 340.
  pogonathera, Gray, 340.
  polycephala, Benth., 341.
  pulchella, 341.
  radicans, Watson, 341.
  ramosissima, Benth., 340.
  rubescens, Watson, 369.
  scariosa, Watson, 369.
  trifoliolata, Moric., 340.
  triphylla, Schlecht., 340.
  tuberculata, Lag., 340.
  Wrightii, Gray, 341.
  Wrightii, 341.
Daubentonia longifolia, DC., 342.
Daucus montanus, Willd., 361.
Delphinium azureum, Michx., 318.
  leptophyllum, Hemsl., 318.
Desmanthus acuminatus, Benth., 349.
  brachylobus, Benth., 349.
  depressus, Humb. & Bonpl., 348, 349.
  depressus, 349.
  incurvus, Benth., 349.
  Jamesii, Torr. & Gray, 349.
  leptolobus, Torr. & Gray, 349.
  obtusus, Watson, 349, 371.
  reticulatus, Benth., 348, 349.
Desmanthus velutinus, Scheele, 348, 349.
  virgatus, Willd., 349.
Desmodium gracile, Mart. & Gal., 345.
  molliculum, DC., 345.
  orbiculare, Schlecht., 345.
  Palmeri, Hemsl., 344.
  Parryi, Hemsl., 345.
  psilophyllum, Schlecht., 344.
  spirale, DC., 344.
  viridiflorum, Beck, 344.
  Wislizeni, Engelm., 345.
  Wrightii, Gray, 344.
Deweya vestita, Watson, 374.
Dibromacrylate, baric, 127, 135, 139.
  calcic, 129, 135, 139.
  plumbic, 128.
  potassic, 129, 136.
Dibromacrylic acid, 94, 125, 138.
Dibromacrylic acid and tribrompropionic acids, on the relation between, 133.
Dibromiodacrylic and chlorbromiodacrylic acids, 94.
Dichloracrylic acid, on the crystalline form of *a*, 131.
Dichlorbrompropionic acid, 144.
Dichlordibrompropionate, baric *a*, 146.
  argentic *β*, 148.
  baric *β*, 149.
Dichlordibrompropionic acid, *β*, 147.
Discopleura laciniata, Benth. & Hook., 361.
Dodonæa viscosa, Linn., 338.
Douglasia dentata, Watson, 375.
Draba chrysantha, Watson, 364.
Drymaria arenarioides, Willd., 329.
  cordata, Willd., 327.
  cordata, 328.
  crassifolia, Benth., 329.
  Fendleri, Watson, 328.
  frankenioides, HBK., 329.
  glandulosa, Bartl., 328.
  glandulosa, 328.
  gracilis, Cham. & Schlecht., 328.
  nodosa, Engelm., 329.
  palustris, Cham. & Schlecht., 328.
  polycarpoides, Gray, 329.
  ramosissima, Schlecht., 328.
  suffruticosa, Gray, 328.
  villosa, Cham. & Schlecht., 328.
  xerophylla, Gray, 329.

E.

Echinocactus bicolor, Gal., 360.
  horizonthalonius, Lam., 360.
  longehamatus, Gal., 360.
  pilosus, Gal., 360.
Echinocystis (?) Bigelovii, Cogn., 374.
Echinocystis parviflora, Watson, 373.
Elaterium Bigelovii, Watson, 374.
Elatine Americana, Nutt., 329.
Electricity, Thermo-, 39.
Electrolysis, an indirect determination of chlorine and bromine by, 91.
Eriogonum apiculatum, Watson, 378.
  delicatulum, Watson, 379.
  molestum, Watson, 379.
  Parishii, Watson, 379.
Eruca sativa, Lam., 321.
Eryngium *aquaticum*, 360.
  carlinæ, Delar., 361.
  Deppeanum, Cham. & Schlecht., 360.
  nasturtiifolium, Juss., 360.
  serratum, Cav., 360.
  Wrightii, 361.
  yuccæfolium, Michx., 360.
Erysimum asperum, DC., 321.
Erythrina coralloides, DC., 346.
Ether thermometer, examination of, 54.
Eucnide bartonioides, Zucc., 358.
  floribunda, Watson, 358.
  lobata, Gray, 358.
  sinuata, Watson, 358.
Eulophus peucedanoides, HBK., 361.
  Texanus, Benth. & Hook., 361.
Experiments on the fatigue of small spruce-beams, 304.
Eysenhardtia amorphoides, HBK., 339.
  orthocarpa, Watson, 339.

F.

Fellows, Associate, deceased, —
  Henry Charles Carey, 417.
  Edward Desor, 422.
  John W. Draper, 424.
  Lewis H. Morgan, 429.
  St. Julien Ravenel, 437.
  John Rodgers, 438.
  Barnas Sears, 442.
Fellows, Associate, List of, 470.
Fellows elected, —
  Clarence John Blake, 388.
  Francis Blake, 383.
  Lucien Carr, 383.
  Alvan Graham Clark, 383.
  William Otis Crosby, 388.
  John Cummings, 389.
  Thomas Gaffield, 388.
  Charles Rockwell Lanman, 389.
  Frederic Walker Lincoln, 388.
  John Davis Long, 389.
  William Harmon Niles, 389.
Fellows, Associate, elected, —
  Fordyce Barker, 383.
  John Shaw Billings, 383.
  Luigi Palma di Cesnola, 393.
  Jacob M. Da Costa, 383.
  Henry Draper, 389.
  Manning Ferguson Force, 383.
  Alfred Stillé, 383.
  William Graham Sumner, 383.
Fellows deceased, —
  John Bacon, 399.
  Richard H. Dana, 399.
  Ralph Waldo Emerson, 403.
  Thomas P. James, 405.
  Henry W. Longfellow, 406.
  John A. Lowell, 408.
  Theophilus Parsons, 411.
  Edward Reynolds, 414.
Fellows, List of, 467.
Fellow resigned, —
  William James, 465.
Fish-eggs, Pelagic, 289.
Foreign Honorary Member elected :
  William Stubbs, 383.
Foreign Honorary Members deceased, —
  J. C. Bluntschli, 445.
  Charles Darwin, 449.
  Joseph Decaisne, 458.
  Theodor Schwann, 460.
  Dean Stanley, 461.
Foreign Honorary Members, List of, 472.
Fouquieria splendens, Engelm., 329.
Fragaria Mexicana, Schlecht., 353.
Frankenia grandifolia, Cham. & Schlecht., 326.
Fumaria parviflora, Lam., 319.

G.

Gadus morrhua, 296.
Galactia brachystachys, Benth., 346.
  marginalis, Benth., 346.

Galphimia angustifolia, Benth., 333.
  linifolia, Gray, 333.
Garrya laurifolia, Hartw., 361.
  ovata, Benth., 361.
Gasterosteus aculeatus, 288.
Gaudichaudia filipendula, Juss., 333.
Gaura coccinea, Nutt., 358.
  Drummondii, Torr. & Gray, 358.
  parviflora, Dougl., 357.
Geranium Carolinianum, Linn., 334.
  Carolinianum, 334.
  crenatum, Watson, 334.
  Hernandezii, DC., 334.
  Hernandezii, 334.
  Mexicanum, HBK., 334.
  Schiedeanum, Cham. & Schlecht., 334.
Glinus Cambessidesii, Fenzl, 360.
Gossypium Barbadense, Linn., 332.
Greggia camporum, Gray, 321.

H.

Helianthemum arenicola, Chapm., 323.
  argenteum, Hemsl., 323.
  Coulteri, Watson, 323.
  glomeratum, Lag., 323.
  patens, Hemsl., 323.
Helietta parvifolia, Benth., 335.
Hermannia pauciflora, Watson, 368.
  Texana, Gray, 332, 369.
Hibiscus cardiophyllus, Gray, 332.
  Coulteri, Harv., 332.
  denudatus, Benth., 332.
Hiræa Greggii, Watson, 333.
  lilacina, Watson, 333.
Hoffmanseggia gracilis, Watson, 347.
  stricta, Benth., 347.
Hosackia angustifolia, Don, 339.
  puberula, Benth., 339.
Hunnemannia fumariæfolia, Sweet, 319.
Hydrochloric acid solutions of antimony in the atmosphere, Oxidation of, 1.
Hydrocotyle *interrupta*, 360.
  prolifera, Kell., 360.
Hypericum denticulatum, HBK., 330.
  fastigiatum, 330.
  mutilum, Linn., 329.
  pauciflorum, HBK., 330.
  perforatum, Linn., 329.
  philonotis, Schlecht., 329.
  Schaffneri, Watson, 330.

I.

Ilex decidua, Walt., 335.
Indigofera leptosepala, Nutt., 342.
  Lindheimeriana, Scheele, 342.
  subulata, 342.
Insects, on the color and pattern of, 234.
  body colors in, 246.
  change of color in, 249.
  color of, 236.
  color, its nature and formation in, 259.
  colors, Bezold's view upon the nature of, in, 245.
  dermal colors of, 242, 247.
  fluorescent colors of, 247.
  hypodermal colors of, 243, 247.
  natural colors of, 242.
  optical colors of, 237.
  pattern of, 250.
  transparent colors of, 245.
  sexual selection of, 248.
  surface colors of, 246.
Iodide of antimony, its boiling-point, 22.
Iodide of arsenic, 59.
Ionidium *calceolarium*, Ging., 324.
  lineare, Torr., 324.
  polygalæfolium, Vent., 324.
  verbenaceum, HBK., 324.
Iris tenuis, Watson, 380.
Ivesia Utahensis, Watson, 371.

J.

Janusia gracilis, Gray, 334.
Jussiæa repens, Linn, 356.
  suffruticosa, Linn., 356.

K.

Karwinskia Humboldtiana, Zucc., 336.
Kochia Californica, Watson, 378.
Kœberlinia spinosa, Zucc., 335.
Krameria canescens, Gray, 326.
  cinerea, Schauer, 326.
  cytisoides, Cav., 326.
  lanceolata, Torr., 326.
  parvifolia, 326.
  pauciflora, DC., 326.
  ramosissima, Watson, 326.
  secundiflora, DC., 326.

L.

Labrax lineatus, 274.
Larrea Mexicana, Moric., 334.
Lathyrus Cusickii, Watson, 371.
  parvifolius, Watson, 345.
  venosus, 345.
Lechea major, Michx., 323.
  Skinneri, Benth., 323.
Lepidium intermedium, Gray, 322.
  lasiocarpum, Nutt., 322.
  Menziesii, DC., 323.
  Menziesii, 322.
  ruderale, 323.
  Virginicum, 322.
  Wrightii, Gray, 322.
Lepigonum gracile, Watson, 367.
  Mexicanum, Hemsl. 327.
  rubrum, Fries, 327.
Lespedeza repens, Bart., 345.
Leucæna glauca, Benth., 350.
Lindleya mespiloides, HBK., 353.
Linum Cruciata, Planch., 332.
  Greggii, Engelm., 332.
  lecheoides, Watson, 332.
  Mexicanum, Kunth, 333.
  rigidum, Pursh, 332.
  rupestre, Engelm., 332.
  scabrellum, Planch., 333.
  Schiedeanum, Cham. & Schlecht., 333.
Llavea integrifolia, Hemsl., 336.
Lonicera *ciliata*, 374.
  Utahensis, Watson, 374.
Lopezia pumila, Bonpl., 357.
  trichota, Schlecht., 357.
Lophius piscatorius, 280.
Ludwigia palustris, Linn., 356.
Lupinus bilineatus, Benth., 338.
  Ehrenbergii, Schlecht., 338.
  Hartwegi, Lindl., 338.
  Havardi, Watson, 369.
  Leonensis, Watson, 338.
  ornatus, 369.
  Plattensis, Watson, 369.
Lythrum alatum, Linn., 355.
  gracile, Benth., 355.
  Hyssopifolia, Linn., 355.
  Kennedianum, HBK., 355.

M.

Mahonia ilicina, Schlecht., 318.
  trifolia, Cham. & Schlecht., 318.
Malpighia glabra, Linn., 333.
Malva Americana, 368.
Malvastrum densiflorum, Watson, 368.
  Rugelii, Watson, 367.
  tricuspidatum, Gray, 330.
Malvaviscus Drummondii, Torr. & Gray, 332.
Mamillaria conoidea, DC., 360.
  micromeris, Engelm., 360.
  radians, DC., 360.
Martia, Zucc., 346.
Maximowiczia Lindheimeri, Cogn., 359.
  tripartita, Cogn., 359.
Medicago minima, Lam., 339.
Melilotus parviflora, Desf., 339.
Melochia pyramidata, Linn., 332.
  serrata, 368.
Mentzelia aspera, Linn., 359.
  hispida, Willd., 359.
  multiflora, Nutt., 359.
  strigosa, HBK., 359.
  Wrightii, Gray, 359.
Microrhamnus ericoides, Gray, 337.
Mimosa acanthocarpa, Benth., 350.
  biuncifera, Benth., 350.
  flexuosa, Benth., 350.
  Lindheimeri, Gray, 350.
  malacophylla, Gray, 350.
  monancistra, Benth., 350.
  strigillosa, Torr. & Gray, 350.
  zygophylla, Benth., 350.
  ——— ?, 350.
Mirabilis tenuiloba, Watson, 375.
Mollugo Cerviana, Ser., 360.
  verticillata, Linn., 360.
Molybdate, Ammonic phospho-, 68.
Molybdate of ammonium, Phospho-, 77.
Molybdates, Arsenio-, 79.
Molybdates, Phospho-, 62.
Molybdic and phosphoric oxides, percentages of, 63.
Mortonia *effusa*, Turcz., 336.
  Greggii, Gray, 336.
  Palmeri, Hemsl., 336.
  scabrella, Gray, 336.
Motella argentea, 294.
Myosurus aristatus, Benth., 362.
  cupulatus, Watson, 362.
  minimus, Linn., 362.
  sessilis, Watson, 362.

N.

Nasturtium tanacetifolium, Hook. & Arn., 319.
Negundo aceroides, Moench, 338.

Neptunia pubescens, Benth., 348.
Nesæa longpipes, Gray, 356.
  salicifolia, HBK., 356.
Nickel, copper, and their thermometric line below 0°, 47.
Nissolia platycalyx, Watson, 344.
  Wislizeni, Gray, 344.
Novitiæ Arizonicæ, etc.
  Acamptopappus Shockleyi, 208.
  Æsculus Parryi, 200.
  Actinella Vaseyi, 219.
  Adenocaulon, 214.
  Ambrosia pumila, 217.
  Androsace Arizonica, 221.
  Antennaria flagellaris, 212.
    stenophylla, 213.
  Artemisia Parishii, 220.
  Aster imbricatus, 210.
    Palmeri, 209.
    stenomeres, 209.
  Baccharis sarothroides, 211.
  Barroetea Pavonii, 206.
    subuligera, 205.
  Bigelovia albida, 209.
    intricata, 208.
  Braya Oregonensis, 199.
  Breweria minima, 228.
  Brickellia cylindracea, 207.
    frutescens, 207.
    grandiflora, 207.
    Lemmoni, 206.
    odontophylla, 206.
    Pringlei, 206.
  Bursera microphylla, 230.
  Cnicus Rothrockii, 220.
  Cordylanthus Nevinii, 229.
  Coursetia microphylla, 201.
  Cracca Edwardsii, 201.
    glabella, 201.
    sericea, 201.
  Crepis pleurocarpa, 221.
  Crotalaria Pringlei, 200.
  Dalea Lemmoni, 200.
    Ordiæ, 200.
    Pringlei, 201.
  Dugesia Mexicana, 216.
  Erigeron dryophyllus, 210.
    Pringlei, 210.
    Muirii, 210.
  Eriodictyon angustifolium, 224.
  Eritrichium intermedium, 225.
    racemosum, 226.
  Eupatorium Coahuilense, 205.
    Fendleri, 205.
    pauperculum, 205.
    Phanerostylis, 205.
  Evolvulus lætus, 228.
Novitiæ, Arizonicæ, Galium Rothrockii, 203.
  Gilia prostrata, 223.
  Githopsis diffusa, 221.
  Gnaphalium Wrightii, 214.
  Gomphocarpus hypoleucus, 222.
  Grindelia Arizonica, 208.
    costata, 208.
    subdecurrens, 208.
  Gymnolomia triloba, 217.
  Hecastocleis Shockleyi, 221.
  Houstonia fasciculata, 203.
    Palmeri, 202.
    Wrightii, 202.
  Jacquemontia Pringlei, 227.
  Kuhnia Schaffneri, 207.
  Lagophylla glandulosa, 219.
  Leptosyne Arizonica, 218.
  Lessingia glandulifera, 207.
  Lithosperum glabrum, 227.
  Lobelia Gattingeri, 221.
  Madia Yosemitana, 219.
  Micropus amphibolus, 214.
  Monardella tenuiflora, 230.
  Orthocarpus Parishii, 229.
  Parthenium confertum, 216.
  Pentstemon brevilabris, 229.
    Parishii, 228.
  Phacelia platyloba, 223.
    Pringlei, 223.
  Plummera floribunda, 215.
  Pluchea borealis, 212.
  Ribes viburnifolium, 202.
  Rubus lasiococcus, 201.
  Rudbeckia Mohrii, 217.
    montana, 217.
  Senecio Lemmoni, 220.
  Stevia Lemmoni, 204.
    Plummeræ, 204.
  Synedrella vialis, 217.
  Vernonia Greggii, 204.
    Ervendbergii, 203.
    Palmeri, 204.
    Schaffneri, 204.
  Viguiera lanata, 218.
Nymphæa ampla, DC., 318.

O.

Œnothera *Berlandieri*, Walp., 356.
  brachycarpa, Gray, 357.
  dentata, 373.
  dissecta, Gray, 357.
  Drummondii, Hook., 356.
  Hartwegi, Benth., 357.
  heterochroma, Watson, 373.

- Œnothera *hirsuta*, Walp., 356.
  - macrosceles, Gray, 356.
  - refracta, Watson, 373.
  - rosea, Ait., 357.
  - sinuata, Michx., 356.
  - speciosa, Nutt., 356.
  - *strigulosa*, 373.
  - tetraptera, Cav., 356.
  - *Wrightii*, Gray, 357.
- Oligomeris glaucescens, Camb., 323.
- Opuntia imbricata, DC., 360.
  - Kleiniæ, DC., 360.
- Orthoiodbenzylbromide and its derivatives, preliminary notice of, 103.
- Osseous fishes, on the young stages of some, 271.
- Oxalis corniculata, Linn., 335.
  - decaphylla, HBK., 335.
  - dichondræfolia, Gray, 335.
  - Wrightii, Gray, 335.
- Oxybaphus linearifolius, Watson, 375.

P.

- Pachystima Myrsinites, Raf., 336.
- Parkinsonia aculeata, Linn., 348.
  - Texana, Watson, 348.
- Passiflora bryonioides, HBK., 359.
  - fœtida, Linn., 359.
  - tenuiloba, Engelm., 359.
- Pattern of insects, on the color and, 234.
- *Paullinia subulata*, Gray, 337.
- Pavonia lasiopetala, Scheele, 332.
  - *Wrightii*, Gray, 332.
- Pedicularis bracteosa, Benth., 375.
  - Canadensis, Linn., 375.
  - Furbishiæ, Watson, 375.
- Peganum Mexicanum, Gray, 335.
- Pelagic fish eggs, 289.
- Peltier and Thomson, effects of thermoelectricity, 39.
- Petalonyx crenatus, Gray, 358.
- Petalostemon obovatus, Torr. & Gray, 341.
- Peteria scoparia, Gray, 342.
- Peucedanum Mexicanum, Watson, 361.
- Phaseolus atropurpureus, DC., 346.
  - diversifolius, Pers., 346.
  - filiformis, Benth., 346.
  - heterophyllus, Willd., 346.
  - multiflorus, Willd., 347.
  - polymorphus, Watson, 346.
  - retusus, Benth., 346.
  - scabrellus, Benth., 346.
  - Wrightii, Gray, 346.
  - ——?, 347.
- Philadelphus serpyllifolius, Gray, 354.
- Phospho-molybdate, ammonic, 68.
- Phospho-molybdate of ammonium, 77.
- Phospho-molybdates, 62.
- Phospho-molybdic acid. Twenty-four atom series, 65.
- Phosphoric and molybdic oxides, percentages of, 63.
- Physaria didymocarpa, Nutt., 363.
  - Geyeri, Gray, 363.
  - Newberryi, Gray, 363.
  - Oregona, Watson, 363.
- Pistacia Mexicana, HBK., 338.
- Pithecolobium brevifolium, Benth., 352.
  - elachistophyllum, Gray, 352.
  - Palmeri, Hemsl., 352.
  - Schaffneri, Watson, 352.
- Polanisia trachysperma, Torr. & Gray, 323.
  - uniglandulosa, DC., 323.
- Polygala alba, Nutt., 325.
  - Greggii, Watson, 325.
  - hemipterocarpa, Gray, 326.
  - Lindheimeri, Gray, 324.
  - macradenia, Gray, 325.
  - *Mexicana*, DC., 325.
  - obscura, Benth., 325.
  - ovalifolia, DC., 324.
  - Palmeri, Watson, 325.
  - puberula, Gray, 324.
  - *pubescens*, 324.
  - scoparia, HBK., 325.
  - semialata, Watson, 326.
  - viridis, Watson, 326.
- Polygonum intermedium, Nutt., 378.
- Porlieria angustifolia, Gray, 334.
- Portulaca pilosa, Linn., 329.
- Potassium salt, acid, 70, 73.
- Potentilla heptaphylla, Mill., 353.
  - Norvegica, Linn., 353.
- Propionic acids, on certain tetrasubstituted, 140.
- Prosopis cinerascens, Gray, 348.
  - juliflora, DC., 348.
- Prunus Capuli, Cav., 352.
  - glandulosa, Torr. & Gray, 352.
  - Mexicana, Watson, 353.
- Psoralea pentaphylla, Linn., 339.
  - rhombifolia, Torr. & Gray, 339.

Ptelea angustifolia, Benth., 335.
    parvifolia, Gray, 335.
    trifoliata, Linn., 335.

R.

Ranunculus delphinifolius, HBK., 317.
    geoides, HBK., 317.
    Hookeri, Schlecht., 317.
    stolonifer, Hemsl., 317.
Rhamnus Caroliniana, Walt., 336.
Rhus Copallina, Linn., 338.
    microphylla, Engelm., 338.
    pachyrrhachis, Hemsl., 338.
    virens, Lindl., 338.
Rhynchosia macrocarpa, Benth., 347.
    minima, DC., 347.
    phaseoloides, DC., 347.
    Senna, 347.
    Texana, Torr. & Gray, 347.
Rosa Mexicana, Watson, 354.
Rubus *humistratus*, Steud., 353.
    trivialis, Michx., 353.

S.

Salt, acid potassium, 70, 73.
Salt, ammonium, 71, 76, 78.
Salt, croceo-cobalt, 69.
Sapindus marginatus, Willd., 337.
Sarratia Berlandieri, 376.
Saxifraga eriophora, Watson, 372.
Schæfferia cuneifolia, Gray, 335.
Schrankia aculeata, Willd., 350.
    subinermis, Watson, 350.
Sechiopsis triquetra, Naud., 360.
Sedum divaricatum, Watson, 372.
    divergens, Watson, 372.
    Douglasii, Hook., 372.
    ebracteatum, DC., 355.
    fuscum, Hemsl., 355.
    Liebmannianum, Hemsl., 355.
    Palmeri, Watson, 355.
    parvum, Hemsl., 355.
Sericoides Greggii, Gray, 334.
Serjania brachycarpa, Gray, 337.
    incisa, Torr., 337.
    inflata, Watson, 337.
    racemosa, Schum., 337.
Sesbania Cavanillesii, Watson, 342.
    longifolia, DC., 342.
    macrocarpa, Muhl., 342.
Sicydium Lindheimeri, Gray, 359.
Sicyos *angulatus*, 359.
    Deppei, Don, 359.
Sida diffusa, HBK., 330.
    fasciculata, Torr. & Gray, 330.
    filiformis, Moric., 330.
    filipes, Gray, 331.
    hederacea, Gray, 330.
    Lindheimeri, Gray, 331.
    physocalyx, Gray, 331.
    tragiæfolia, Gray, 331.
Silene *Greggii*, Gray, 326.
    laciniata, Cav., 326.
    Parishii, Watson, 366.
    platyota, Watson, 366.
    plicata, Watson, 366.
Silver emetic, 5.
Sisymbrium *auriculatum*, Gray, 321.
    canescens, Nutt., 320.
    Coulteri, Hemsl., 320.
    Palmeri, Hemsl., 320.
    streptocarpum, 320.
Solidago and Aster, studies of, in the older herbaria, 163.
    Solidago altissima, 177, 180, 184.
        ambigua, 183, 185.
        arguta, 180, 185.
        aspera, 180, 184.
        asperata, 187.
        asperula, 188.
        bicolor, 178, 182, 185.
        cæsia, 178, 183, 185.
        Canadensis, 177, 179, 184.
        carinata, 189.
        ciliaris, 184.
        Cleliæ, 188.
        conferta, 186.
        confertiflora, 189.
        corymbosa, 187.
        decemflora, 188.
        elata, 187.
        elliptica, 181, 185.
        erecta, 187.
        flabelliformis, 188.
        flexicaulis, 178, 185.
        fragrans, 186.
        fuscata, 188.
        gigantea, 180, 184.
        glabra, 186, 188.
        glomerata, 183.
        gracilis, 186.
        grandiflora, 188.
        hirta, 186.
        hispida, 185.
        humilis, 187, 188.
        integrifolia, 188.

Solidago juncea, 181, 185.
  lævigata, 181, 185.
  lanceolata, 178, 181, 185.
  lateriflora, 178, 180, 184.
  latifolia, 178.
  lepida, 189.
  linoides, 182.
  lithospermifolia, 186.
  livida, 186.
  macrophylla, 187.
  Mexicana, 178, 181, 185.
  multiflora, 187, 188.
  multiradiata, 183, 186.
  nemoralis, 180, 184.
  Noveboracensis, 179.
  nutans, 188.
  odora, 181, 185.
  patula, 185.
  paucifloscuIosa, 183.
  petiolaris, 182, 185.
  plantaginea, 188.
  procera, 179, 184.
  pyramidata, 187.
  recurvata, 186.
  reflexa, 180, 184.
  retrorsa, 183.
  rigida, 179, 182, 186.
  rotundifolia, 189.
  rugosa, 184.
  sarothræ, 187.
  scabra, 184.
  scabrida, 188.
  Schraderi, 189.
  sempervirens, 177, 181, 185.
  serotina, 179, 184.
  spathulata, 189.
  stricta, 182, 185.
  ulmifolia, 185.
  villosa, 187.
  viminea, 182, 185.
  virgata, 183.
  virgaurea, 179.
 (§ 1) Virgaurea, —
  amplexicaulis, 194.
  arguta, 195.
  bicolor, 190.
  Bigelovii, 190.
  Boottii, 195.
  Buckleyi, 190.
  cæsia, 189.
  Californica, 197.
  Canadensis, 196.
  Chapmani, 193.
  confertiflora, 191.
  confinis, 191.
  corymbosa, 198.
  Curtisii, 190.
Solidago discoidea, 189.
  Drummondii, 198.
  Elliottii, 194.
  elliptica, 194.
  elongata, 196.
  flavovirens, 192.
  glomerata, 191.
  gracillima, 192.
  Guirardonis, 193.
  Houghtoni, 198.
  humilis, 191.
  juncea, 195.
  lancifolia, 190.
  latifolia, 190.
  Leavenworthii, 196.
  lepida, 196.
  Lindheimeriana, 190.
  linoides, 184.
  macrophylla, 191.
  Marshalli, 195.
  Missouriensis, 195.
  monticola, 190.
  multiradiata, 191.
  nana, 197.
  neglecta, 195.
  nemoralis, 197.
  nitida, 198.
  odora, 193.
  Ohioensis, 198.
  patula, 193.
  petiolaris, 189.
  pilosa, 193.
  puberula, 192.
  pumila, 198.
  radula, 197.
  Riddellii, 198.
  rigida, 198.
  rugosa, 194.
  rupestris, 196.
  sempervirens, 192.
  serotina, 196.
  Shortii, 195.
  sparsiflora, 197.
  spathulata, 191.
  speciosa, 193.
  spectabilis, 193.
  spithamæa, 191.
  squarrosa, 189.
  stricta, 192.
  Terræ-Novæ, 195.
  tortifolia, 193.
  uliginosa, 193.
  ulmifolia, 194.
  verna, 194.
  virgaurea, 191.

(§ 2) Chrysoma, —
Solidago gonoclada, 199.
paniculata, 199.
paucifloculosa, 198.
scabrida, 199.
simplex, 199.
spathulata, 199.
velutina, 199.
(§ 3) Euthamia, —
lanceolata, 198.
leptocephala, 198.
occidentalis, 198.
tenuifolia, 198.
Sophora secundiflora, Lag., 347.
sericea, Nutt., 347.
Spergularia, Presl, 327.
Mexicana, Hemsl., 327.
neglecta, 327.
Sphæralcea angustifolia, St. Hil., 331.
hastulata, Gray, 331.
stellata, Torr. & Gray, 332.
Spiræa discolor, Pursh, 353.
Spruce-beams, experiments on the fatigue of small, 304.
Stellaria cuspidata, Willd., 327.
prostrata, Baldw., 327.
Stenosiphon virgatus, Spach, 358.
Stipularia, Haw., 327.
Streptanthus diversifolius, Watson, 363.
micranthus, Gray, 321.
Stromateus triacanthus, 276.
Stylosanthes mucronata, Willd., 344.
Synthlipsis Berlandieri, Gray, 321, 322.
Greggii, Gray, 322.
heterochroma, Watson, 321.

T.

Talinopsis frutescens, Gray, 329.
Talinum aurantiacum, Engelm., 329.
Telephoning over long distances or through cables, 268.
Temnodon saltator, 275.
Tephrosia Lindheimeri, Gray, 342.
tenella, Gray, 342.
Tetrabrompropionate, baric, 142.
calcic, 143.
Tetrabrompropionic acid, 140.
Thalictrum strigillosum, Hemsl., 317.
Thamnosma Texanum, Torr., 335.
Thelypodium auriculatum, Watson, 321.
linearifolium, Watson, 321.
longifolium, Watson, 321.
micranthum, Watson, 321.
Thermoelectric line of copper and nickel below 0°, 47.
Thermoelectricity, 39.
Thermometer, a new form of air-, 22.
differential air-, 26.
ether, examination of, 54.
Thermometers, simple method for calibrating, 157.
Thlaspi Californicum, Watson, 365.
Tilia Mexicana, Benth., 332.
Tillæa angustifolia, Nutt., 354.
Tourmaline, white, 57.
Tradescantia Floridana, Watson, 381.
gracilis, HBK., 382.
Tribromacrylic acid, crystalline form of, 154.
Tribrompropionate, argentic, 137.
Tribrompropionic acid, 137.
its relation to dibromacrylic acid, 133.
Tribulus maximus, Linn., 334.
Trifolium amabile, Hook., 339.
involucratum, Willd., 339.
reflexum, 339.
Schiedeanum, Watson, 339.
Turmeric, on certain substances obtained from, 110.
Turnera aphrodisiaca, Ward, 359.

U.

Ungnadia speciosa, Endl., 337.

V.

Vauquelinia corymbosa, Corr., 353.
Vesicaria argyrea, Gray, 319.
Fendleri, Gray, 320.
purpurea, Gray, 319.
recurvata, Engelm., 320.
Schaffneri, Watson, 320.
stenophylla, Gray, 320.
Vicia Americana, Linn., 345.
pulchella, HBK., 345.
Viola Barroetana, Schaffn., 324.
cucullata, Ait., 324.
flagelliformis, Hemsl., 323.
Hookeriana, HBK., 324.

Viola *latistipula*, Hemsl., 324.
  pubescens, 324.
Vitis æstivalis, Michx., 337.
  cordifolia, Michx., 337.
  incisa, Nutt., 337.

W.

Wedge photometer, the, 231.
White tourmaline, 57.

X.

Xanthoxylum Clava-Herculis, Linn., 335.
  macrophyllum, Nutt., 335.
  Pterota, HBK., 335.
Xylopleurum, Spach, 356.

Z.

Zizyphus lycioides, Gray, 336.
  obtusifolius, Gray, 336.
Zornia diphylla, Pers., 344.
  tetraphylla, Michx., 344.

University Press: John Wilson and Son, Cambridge.